

“Starchef”



At Starchef, we're not just supplying cooking equipment — we're supporting the heart of your kitchen operations. With a strong foundation in affordable quality, our commercial kitchen solutions are built to handle the heat, pressure, and pace of professional food service. From street-side stalls to full-service restaurants, Starchef is trusted for delivering the right tools with the right value.



”



Catalogue Starchef

GREAT REASONS TO CHOOSE



starchef

Proven Performance. Practical Design. Affordable Quality.

1 PRICE AFFORDABILITY

Our products are designed to offer cost-effective solutions without compromising on functionality or performance. Offering competitive pricing, each product ensures that businesses can achieve high-quality results without exceeding budget constraints, making them a sound investment for long-term success.

2 RELIABLE AND QUALITY CONTROL

Each unit undergoes rigorous testing to ensure it meets the highest standards of safety, performance, and durability. These measures guarantee that the equipment will consistently deliver reliable results, providing peace of mind to food service professionals and ensuring that the demands of high-volume kitchens are met.

3 TAILORED FOR LOCAL MARKET NEEDS

Starchef products are specifically designed to cater to the unique needs of the Indonesian foodservice industry. From equipment dimensions to gas compatibility, every aspect of our products is adapted to local market requirements, ensuring optimal functionality and ease of use in diverse kitchen environments.

4 FAST & RESPONSIVE SERVICE TEAM

Our service team is committed to providing quick and professional support, addressing any concerns with minimal delay. Whether it's installation, troubleshooting, or supplying spare parts, our team ensures prompt assistance, reducing downtime and maintaining kitchen efficiency.

5 DURABLE COMMERCIAL-GRADE BUILD

Crafted from high-quality, commercial-grade materials, our equipment is built to withstand the rigors of daily use in professional kitchens. Designed for durability, the products minimize maintenance requirements and deliver reliable service, ensuring long-term value and performance.





COUNTER TOP
GAS BURNER



1
YEAR
WARRANTY

FEATURES	Belva-G4-24	Belva-G6-36
Burner Quantity	4	6
Gas Type	Low Pressure LPG	Low Pressure LPG
External Dimensions (mm) W x D x H	610 x 700 x 325	915 x 700 x 325
Weight	59 Kg	84 Kg
Heating Capacity	86940 Btu / Hour	160770 Btu / Hour
Igniter	External	External
Pilot Fire	Yes	Yes

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



GAS BURNER
WITH OVEN



1
YEAR
WARRANTY

FEATURES	Bianca-G4-70	Bianca-G6-105
Burner Quantity	4	6
Gas Type	Low Pressure LPG	Low Pressure LPG
External Dimensions (mm) W x D x H	700 x 750 x 850+60	1050 x 750 x 850+60
Weight	85 Kg	144 Kg
Heating Capacity	127650 Btu / Hour	181470 Btu / Hour
Igniter	External for Burner, Internal for Oven	External for Burner, Internal for Oven
Pilot Fire	Yes	Yes
Thermocouple Safety Valve	Yes	Yes

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



COUNTERTOP

GAS LAVA ROCK GRILL



1
YEAR
WARRANTY

FEATURES	Lucia-G-24	Lucia-G-36
Burner Quantity	2	3
Gas Type	Low Pressure LPG	Low Pressure LPG
External Dimensions (mm) W x D x H	610 x 700 x 325	915 x 700 x 325
Weight	91 Kg	135 Kg
Heating Capacity	41400 Btu / Hour	62100 Btu / Hour
Igniter	Internal	Internal
Pilot Fire	Yes	Yes
Lava Rock	Included	Included

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



COUNTERTOP

GAS GRIDDLE



1
YEAR
WARRANTY

FEATURES	Giselle-G-24	Giselle-G-36
Burner Quantity	2	3
Gas Type	Low Pressure LPG	Low Pressure LPG
External Dimensions (mm) W x D x H	610 x 700 x 325	915 x 700 x 325
Weight	91 Kg	129 Kg
Heating Capacity	41400 Btu / Hour	62100 Btu / Hour
Igniter	Internal	Internal
Pilot Fire	Yes	Yes

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



GAS DEEP FRYER



1
YEAR
WARRANTY

FEATURES	Freya-G3-40
Burner Quantity	3
Gas Type	Low Pressure LPG
External Dimensions (mm) W x D x H	395 x 780 x 1124
Weight	59 Kg
Oil Capacity	Min. 23 L, Max. 27 L
Oil Tank	Single Tank, SUS304
Basket Included	2
Heating Capacity	93150 Btu / Hour
Igniter	Internal
Pilot Fire	Yes
Thermocouple Safety Valve	Yes
Gas Valve	Robertshaw
Temperature Control	Analog

*Cooking equipment products do not include installation services or supporting materials
*Product must be installed by certified or qualified personnel only
*Designed for low pressure LPG only
*Use with high pressure LPG or other gas types may result in fire risk or damage



COUNTERTOP ELECTRIC
HOT SHOWCASE



1
YEAR
WARRANTY

FEATURES	HRT-90PW (White) /HRT-90PB (Black)
Capacity	120 L
Temperature	40 to 65°C
External Dimensions (mm) W x D x H	900 x 530 x 730
Weight	100 Kg
Glass Feature	Tempered Insulating Glass
Body Material	Color Painted Stainless-Steel
Compressor	Not Available
Refrigerant	Not Available
System	Heater Tube
Input Power	470 Watt
Voltage / Frequency	220V / 50Hz
Shelves Included	2
Temperature Display	Yes, Analog
Thermostat Controller	Mechanical
Rear Door	Sliding Glass Door
Castor Wheels	Not Available
Lock	Not Available
LED Light	Yes
Self-Evaporation System	Not Available

*Capacity of hot showcases depends on shelving arrangement and may not reflect actual usable volume



German Technology

“




Liebherr

”



Catalogue Liebherr

GREAT REASONS TO CHOOSE



LIEBHERR

“

1 GERMAN TECHNOLOGY

Liebherr stands as a symbol of precision-engineered **German technology**, developed with decades of expertise in refrigeration systems. Every Liebherr product incorporates advanced design and smart features that reflect the company's dedication to innovation and reliability. Whether it's a wine cooler or a commercial freezer, customers benefit from intelligent temperature control, energy-efficient components, and meticulous craftsmanship that meets the highest European standards.

2 HIGHEST PERFORMANCE

Liebherr refrigeration units are built for maximum performance, even in demanding commercial environments. The glass sliding showcase freezers and upright glass door freezers are engineered to maintain consistent internal temperatures, ensuring the freshness and longevity of stored products. Wine coolers offer optimal temperature zones and low-vibration operation to preserve flavor and character, making Liebherr the preferred choice for businesses that demand professional-grade performance.

3 EFFICIENCY

Efficiency is at the core of Liebherr's design philosophy. From **energy-saving** compressors to intelligent defrost systems, Liebherr products are built to lower operational costs without compromising cooling power. Whether you're running a café, supermarket, or wine bar, Liebherr appliances help reduce energy consumption while maintaining top-tier cooling performance — a long-term value for any business.

4 ROBUST QUALITY

Renowned for their **robust construction and durability**, Liebherr freezers and coolers are built using premium materials that withstand daily commercial use. The solid frames, reinforced glass, and corrosion-resistant interiors ensure long-term reliability and low maintenance. With Liebherr, you're investing in products that continue to perform year after year, even in high-traffic or high-load environments.

5 PRODUCT VISIBILITY

With Liebherr, **product presentation is as important as preservation**. The upright glass door freezers and glass sliding lid freezers offer excellent visibility, thanks to anti-fog glass, LED interior lighting, and well-designed shelving systems. Your frozen foods, beverages, or wines are attractively displayed to customers while being kept in ideal storage conditions — a perfect balance of form and function for retail and hospitality settings.



”



LIEBHERR
CURVE GLASS FREEZER



3
YEARS
WARRANTY



FEATURES	EFI 1403	EFI 2103	EFI 2803	EFI 3503	EFI 4403	EFI 4803	EFI 5603
Gross Capacity	138 L	210 L	282 L	355 L	426 L	499 L	571 L
Net Capacity	90 L	143 L	196 L	249 L	302 L	355 L	408 L
Temperature	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C
External Dimensions (mm) W x D x H	625 x 660 x 825	835 x 660 x 825	1045 x 660 x 825	1255 x 660 x 825	1465 x 660 x 825	1675 x 660 x 825	1885 x 660 x 825
Weight	48 Kg	55 Kg	62 Kg	69 Kg	77 Kg	90 Kg	91 Kg
Compressor	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R600a	R600a	R290	R290	R290	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5A	1.5A	1.5A	1.5A	2.5A	2.5A	2.5A
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	1	2	2	2	2	2	2
Temperature Display	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Door	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass	Sliding Curve Glass
Castor Wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LED Light	Optional Model EFI 1453	Optional Model EFI 2153	Optional Model EFI 2853	Optional Model 3553	Optional Model EFI 4453	Optional Model EFI 4853	Optional Model EFI 5653
Internal Wall	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel
Steel Bottom Plate	Yes	Yes	Yes	Yes	Yes	Yes	Yes

75

LIEBHERR

FLAT GLASS FREEZER



FEATURES	EFE 1102	EFE 1502	EFE 2202	EFE 3002	EFE 3802	EFE 4602	EFE 6002
Gross Capacity	107 L	144 L	219 L	294 L	369 L	444 L	594 L
Net Capacity	80 L	104 L	163 L	222 L	280 L	339 L	457 L
Temperature	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C
External Dimensions (mm) W x D x H	751 x 461 x 825	625 x 660 x 825	835 x 660 x 825	1045 x 660 x 825	1255 x 660 x 825	1465 x 660 x 825	1885 x 660 x 825
Weight	42.7 Kg	48.5 Kg	56 Kg	63 Kg	70 Kg	78 Kg	93 Kg
Compressor	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R600a	R600a	R600a	R290	R290	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5A	1.5A	1.5A	1.5A	1.5A	2.5A	2.5A
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	1	1	2	2	2	2	2
Temperature Display	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Door	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass	Sliding Flat Glass
Castor Wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LED Light	Optional Model EFE 1152	Optional Model EFE 1552	Optional Model EFE 2252	Optional Model EFE 3052	Optional Model EFE 3852	Optional Model EFE 4652	Optional Model EFE 6052
Internal Wall	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel
Steel Bottom Plate	Yes	Ye	Yes	Yes	Yes	Yes	Yes



3
YEARS
WARRANTY

*Product specifications are subject to change without further notice


CATALOGUE 2026-2027 | FLAT GLASS FREEZER

LIEBHERR

CHEST FREEZER



3

YEARS
WARRANTY

FEATURES	EFL 1505	EFL 3005	EFL 3805	EFL 4605	EFL 6005
Gross Capacity	131 L	271 L	340 L	409 L	549 L
Net Capacity	122 L	255 L	321 L	387 L	520 L
Temperature	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C	-18 to -24°C
External Dimensions (mm) W x D x H	625 x 710 x 825	1045 x 710 x 825	1255 x 710 x 825	1465 x 710 x 825	1855 x 710 x 825
Weight	58 Kg	61 Kg	85 Kg	90 Kg	99 Kg
Compressor	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R600a	R600a	R290	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5A	1.5A	1.5A	1.5A	1.5A
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Basket Included	1	2	2	2	2
Temperature Display	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Door	Solid Door	Solid Door	Solid Door	Solid Door	Solid Door
Castor Wheels	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes
LED Light	Not Available	Not Available	Not Available	Not Available	Not Available
Internal Wall	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel	Galvanized Steel
Steel Bottom Plate	Yes	Yes	Yes	Yes	Yes

*Product specifications are subject to change without further notice

LIEBHERR
SCOOPING FREEZER



FEATURES	EFI 3553 Scooping	EFI 4853 Scooping
Gross Capacity	347 L	488 L
Net Capacity	250 L	356 L
Pan Holder and 5-Liter GN Pans Included	6	8
Temperature	-18 to -24°C	-18 to -24°C
External Dimensions (mm) W x D x H	1293 x 677 x 1245	1719 x 677 x 1245
Weight	94 Kg	121 Kg
Compressor	Embraco / Cubigel	Embraco / Cubigel
Refrigerant	R290	R290
System	Static, Manual Defrost	Static, Manual Defrost
Input Power	1.5 A	2.5 A
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Basket Included	Not Available	Not Available
Temperature Display	Yes, Analog	Yes, Analog
Thermostat Controller	Mechanical	Mechanical
Door	Sliding Curve Glass	Sliding Curve Glass
Castor Wheels	Yes	Yes
Lock	Yes	Yes
LED Light	Yes	Yes
Internal Wall	Galvanized Steel	Galvanized Steel
Steel Bottom Plate	Yes	Yes

*Capacity of the above models depends on pan arrangement and may not reflect actual usable volume.

*Product specifications are subject to change without further notice

LIEBHERR
UPRIGHT SHOWCASE
FREEZER



FEATURES	FDv 4613
Gross Capacity	461 L
Net Capacity	307 L
Temperature	-18 to -25°C
External Dimensions (mm) W x D x H	670 x 730 x 1957
Weight	154 Kg
Compressor	Embraco / Cubigel
Refrigerant	R290
System	Fan Cooling, No Frost
Input Power	4.4 A
Voltage / Frequency	220V / 50Hz
Shelves Included	4
Temperature Display	Yes, Digital
Thermostat Controller	Digital
Door	Single Door
Glass Door Feature	Glass with Heater
Castor Wheels	Yes
Lock	Yes
LED Light	Yes
Lightbox	Yes
Machine Compartment	Bottom Mounted
Self-Evaporation System	Hot Gas Defrost

*These freezer models are intended for storage of frozen products, not for blast freezing.

CATALOGUE 2026-2027 | UPRIGHT SHOWCASE FREEZER



1 **ACTIVATED CHARCOAL FILTER**

To preserve the quality of wines stored over long periods, maintaining clean air is essential. Liebherr wine cabinets are equipped with an activated charcoal filter that ensures optimal air quality by effectively neutralizing environmental odours that could otherwise compromise wine flavour and aroma.



2 **WINE DRAWER**

For convenient storage and access, Liebherr wine cabinets include a practical wine drawer. This feature allows for easy organization, smooth retrieval, and an elegant presentation of wine bottles, enhancing both functionality and user experience.



3 **IDEAL HUMIDITY**

Proper humidity is vital to preserving wine quality. Liebherr wine cabinets maintain over 50% humidity to keep corks from drying out, which helps prevent oxidation. Horizontal storage is encouraged to ensure corks remain moist, protecting wine over long-term aging.



4 **INSULATED GLASS DOOR**

Exposure to UV light can disrupt the delicate maturation process of wine. Liebherr cabinets use specially insulated UV-resistant glass doors to provide superior protection against harmful rays, while also offering a clear and stylish view of the wine collection.



WINE COOLER FEATURES

FEATURES	WKpb 4612 Barrique
Gross Capacity	453 L
Net Capacity	336 L
Maximum No. of Bottles	195
Temperature	10 to 16°C (Single Zone)
External Dimensions (mm) W x D x H	660 x 663 x 1841
Weight	96 Kg
Compressor	Embraco / Cubigel
Refrigerant	R290
System	Fan Cooling, No Frost
Input Power	1.0 A
Voltage/Frequency	220V / 50Hz
Wooden Shelves Included	4
Metal Drawer Included	1
Temperature Display	Yes, Digital
Thermostat Controller	Digital
Door	Single Door
Glass Door Feature	UV Filtered Glass
Castor Wheels	Not Available
Lock	Yes
LED Light	Yes
Lightbox	Not Available
Machine Compartment	Bottom Mounted
Self-Evaporation System	Yes

LIEBHERR
WINE COOLER



3
YEARS
WARRANTY

“Daiwa”



Made in Japan

“

GREAT REASONS TO CHOOSE **daiwa**

1 PROVEN JAPANESE QUALITY

Daiwa products represent the pinnacle of **Japanese manufacturing excellence**, backed by decades of accumulated knowledge and refined engineering. Every design goes through repeated verification and continuous improvement to ensure lasting performance in real-world conditions. This unwavering commitment to quality is what defines "Japan Quality" – a blend of tradition, innovation, and precision that delivers exceptional reliability in commercial kitchens.



2 BUILT BY SKILLED SPECIALISTS ("TAKUMI")

Daiwa's strength lies in the perfect harmony between skilled **craftsmanship and advanced manufacturing technology**. At the heart of every Daiwa product is a team of highly trained artisans known as **"Takumi"**, whose expertise ensures that every detail meets the highest standards. Working alongside state-of-the-art machinery, these specialists bring a level of care and consistency that mass production alone cannot achieve – resulting in premium undercounter and upright refrigeration units built to perform day after day.



3 THOROUGH INSPECTION, ZERO COMPROMISE

Quality control is deeply embedded in Daiwa's production philosophy. Each product undergoes **individual inspection** with a focus on the end user's experience. From functional testing to final finishing, Daiwa ensures that no defective product leaves the factory. This customer-focused inspection process guarantees that every freezer and chiller delivered meets the performance and durability standards expected from Japanese commercial refrigeration.



”



STAINLESS-STEEL

UPRIGHT CHILLER & FREEZER



FEATURES	DLR-068	DLR-128	DLR-158	DLR-188	DLF-068	DLF-128	DLF-158	DLF-188
Capacity	486 L	1078 L	1383 L	1677 L	486 L	1069 L	1374 L	1668 L
Temperature	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-7 to -25°C	-7 to -25°C	-7 to -25°C	-7 to -25°C
External Dimensions (mm) W x D x H	600 x 800 x 1960	1200 x 800 x 1960	1500 x 800 x 1960	1800 x 800 x 1960	600 x 800 x 1960	1200 x 800 x 1960	1500 x 800 x 1960	1800 x 800 x 1960
Weight	85 Kg	135 Kg	148 Kg	176 Kg	88 Kg	140 Kg	160 Kg	188 Kg
Compressor	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco
Refrigerant	R134a	R404A	R404A	R404A	R404A	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	447 Watt	570 Watt	575 Watt	599 Watt	522 Watt	704 Watt	711 Watt	1077 Watt
Voltage/Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	3	3 + 3	3 + 3	3 + 3 + 3	3	3 + 3	3 + 3	3 + 3 + 3
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Door	2 Half Doors	4 Half Doors	4 Half Doors	6 Half Doors	2 Half Doors	4 Half Doors	4 Half Doors	6 Half Doors
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only
Lock	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate
LED Light	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Machine Compartment	Top Mounted	Top Mounted	Top Mounted	Top Mounted	Top Mounted	Top Mounted	Top Mounted	Top Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater



2
YEARS
WARRANTY



STAINLESS-STEEL

UNDERCOUNTER CHILLER



FEATURES	DKR-096	DKR-126	DKR-156	DKR-186	DKR-097	DKR-127	DKR-157	DKR-187
Capacity	153 L	246 L	337 L	426 L	201 L	325 L	444 L	561 L
Temperature	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C	-6 to 12°C
External Dimensions (mm) W x D x H	880 x 600 x 850	1200 x 600 x 850	1500 x 600 x 850	1800 x 600 x 850	880 x 750 x 850	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850
Weight	57 Kg	69 Kg	78 Kg	90 Kg	62 Kg	80 Kg	86 Kg	102 Kg
Compressor	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco	Embraco
Refrigerant	R134A	R134A	R134A	R134A	R134A	R134A	R134A	R134A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	335 Watt	345 Watt	348 Watt	358 Watt	335 Watt	345 Watt	348 Watt	358 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	2	2 + 2	2 + 2	2 + 2 + 2	2	2 + 2	2 + 2	2 + 2 + 2
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Door	1 Door	2 Doors	2 Doors	3 Doors	1 Door	2 Doors	2 Doors	3 Doors
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only	No, Legs Only
Lock	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate
LED Light	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater	Yes, Heater



2
YEARS
WARRANTY

daiwa

STAINLESS-STEEL

UNDERCOUNTER

FREEZER



2
YEARS
WARRANTY



FEATURES	DKF-186	DKF-157	DKF-187
Capacity	426 L	444 L	561 L
Temperature	-7 to -25°C	-7 to -25°C	-7 to -25°C
External Dimensions (mm)	1800 x 600 x 850	1500 x 750 x 850	1800 x 750 x 850
Weight	94 Kg	90 Kg	106 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling, No Frost	Fan Cooling, No Frost	Fan Cooling, No Frost
Input Power	505 Watt	491 Watt	505 Watt
Voltage / Frequency	220V / 50Hz	220V / 50Hz	220V / 50Hz
Shelves Included	2 + 2 + 2	2 + 2	2 + 2 + 2
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Door	3 Doors	2 Doors	3 Doors
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only
Lock	Optional Lock Plate	Optional Lock Plate	Optional Lock Plate
LED Light	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Left Side Mounted	Left Side Mounted	Left Side Mounted
Self-Evaporation System	Yes, Heater	Yes, Heater	Yes, Heater

* These freezer models are intended for storage of frozen products, not for blast freezing

daiwa

ICE MAKER MACHINE



2
YEARS
WARRANTY

FEATURES	DRI-A45LMF
Production Capacity	48 Kg / 24 Hour *Production will drop 25-35% if water temperature is more than 10°C
Ice Type	Cube
Water Source	Water Faucet
Bin Capacity	26 Kg
External Dimensions (mm) W x D x H	630 x 450 x 800
Weight	45 Kg
Compressor	Kulthorn Kirby
Refrigerant	R134a
System	Air-cooled
Input Power	250 Watt
Voltage/Frequency	220V / 50Hz
Temperature Display	Not Available
Thermostat Controller	Digital
Castor Wheels	No, Legs Only

*Ice production may drop 25-35% when water temperature is above 10°C

*Product does not include a water filter

*Use only drinkable water

“Afinox”



Made in Italy

”

“

GREAT REASONS TO CHOOSE AFINOX®

1 ITALIAN INNOVATION IN PLUG-AND-PLAY DESIGN

AFINOX brings the best of **Italian engineering and design** into a practical, mobile solution. Their plug-and-play **blast chillers and shock freezers** are built for flexibility, ease of use, and reliability — ideal for bakeries, restaurants, and catering operations that demand high performance in limited spaces. With user-friendly interfaces, precision temperature control, and sleek stainless-steel finishes, AFINOX units deliver advanced technology in a compact and transportable format that's ready to work right out of the box.

2 SCALABLE SOLUTIONS FOR GROWING NEEDS

Beyond mobile units, AFINOX offers a **modular approach to blast chilling and shock freezing** — making it easy to scale up when your kitchen or production facility expands. From single-tray units to **large trolley-sized cold room systems**, AFINOX provides a consistent standard of performance across all sizes. Their modular design ensures that whether you're chilling small batches or freezing full trolleys, your workflow remains efficient, hygienic, and compliant with food safety standards.

3 TRUSTED QUALITY, MADE IN ITALY

AFINOX is renowned for its commitment to **quality craftsmanship**, precision manufacturing, and long-term reliability — all proudly **made in Italy**. Every blast chiller undergoes rigorous testing to ensure peak performance, durability, and consistent results. With decades of experience in professional refrigeration and thermal technology, AFINOX stands as a trusted name in commercial kitchens worldwide, offering dependable solutions for food preservation at every scale.

”



SHOCK FREEZER /
BLAST CHILLER
MACHINE



1
YEAR
WARRANTY

FEATURES	Faster 5	Faster 10	Faster 15
Blast Chilling Capacity (+3°C)	15 Kg	32 Kg	40 Kg
Shock Freezing Capacity (-18°C)	10 Kg	22 Kg	28 Kg
Thawing Function	Yes	Yes	Yes
GN Trays	Not Included	Not Included	Not Included
Capacity of GN1/1 Trays	5	10	15
External Dimensions (mm)	760 x 700 x 830	790 x 799 x 1629	790 x 799 x 1970
Weight	82 Kg	139 Kg	188 Kg
Compressor	Embraco	Embraco	Embraco
Refrigerant	R404A	R404A	R404A
System	Fan Cooling, Manual Defrost	Fan Cooling, Manual Defrost	Fan Cooling, Manual Defrost
Input Power	449 Watt	900 Watt	2264 Watt
Electrical Phase	1 Phase	1 Phase	3 Phase
Voltage / Frequency	220V / 50Hz	220V / 50Hz	380V / 50Hz
Temperature Display	Yes, Digital	Yes, Digital	Yes, Digital
Thermostat Controller	Digital	Digital	Digital
Castor Wheels	No, Legs Only	No, Legs Only	No, Legs Only
Lock	Not Available	Not Available	Not Available
LED Light	Not Available	Not Available	Not Available
Lightbox	Not Available	Not Available	Not Available
Machine Compartment	Bottom Mounted	Bottom Mounted	Bottom Mounted
Self-Evaporation System	No, Manual Drain	No, Manual Drain	No, Manual Drain

*Capacity of the above models depends on tray arrangement and may not reflect actual usable volume
*Freezing time is up to 240 minutes under the stated capacity
*Recommended for food without packaging

*Product specifications are subject to change without further notice



SERVICE CENTRES

JADETABEK	JADETABEK	Pergudangan Nusa Indah Blok B No. 37, Jurumudi, Benda, Tangerang	021-5409590 021-5409591 021-5409592	021-5409593 021-5409594 021-5409595
SUMATERA	ACEH	Komp. Pilar Residence, Jl. Rama Setia Lr. Cut Abang No. 11, Dea Baro, Meuraxa, Banda Aceh 23232		
	ACEH BARAT	Jl. Imam Bonjol Desa Seuneubok, Kec. Johan Pahlawan, Meulaboh, Aceh Barat		
	ACEH TIMUR	Dusun Selamat, Desa Seuneubok Teungoh, Kec. Idi Timur, Kab. Aceh Timur 24457 (depan SPBU Idi Timur)		
	MEDAN 1	Jl. Mangaan I Lingk. 19, Gg. Bahagia 2 No. 86C, Mabar, Medan 20242		
	MEDAN 2	Jl. Persatuan No. 65 B, Helvetia Timur, Medan Helvetia, Medan 20124		
	PADANG	Jl. Asra No. 8 Rt.02/Rw.15 Kel. Dadok, Tunggul Hitam, Padang (samping Masjid Al-Muhajirin)		
	PEKANBARU 1	Jl. Limbungan, Perumahan Fanel House 2 Blok 11 No. 19 Rumbai, Pekanbaru		
	PEKANBARU 2	Jl. Garuda Sakti KM. 1 Panam, Perum Mutiara Panam Regency, Blok K No. 13 Pekanbaru		
	BATAM 1	Perum Prima Garden Blok C No. 38 Batu Aji, Batam		
	BATAM 2	Komp. Mega Jaya Industrial Park, Jl. Pelayaran Batam, Baloï Permai, Batam Kota, Batam		
	JAMBI	Jl. Ismail Malik RT.35 No. 29, Kel. Mayang Mangurai, Kec. Alam Barajo Kota Madya Jambi		
	PALEMBANG 1	Jln. Karya Sakti No. 63 RT. 001 / RW. 001 Kel. Sialang, Kec. Sako, Palembang		
	PALEMBANG 2	Jl. Angkatan 66. Ir. Rajawali I No. 2003 RT/RW. 26/07 Talang Aman, Kec. Kemuning, Palembang		
	LUBUKLINGGAU	Jl. Beringin RT.2 No. 19 Kel. Sidorejo Kec. Lubuklinggau Barat 2, Kota Lubuklinggau, Sumatera Selatan 31616		

SERVICE CENTRES

	BANGKA BELITUNG	Jl. Kayu Manis No. 140 Pangkal Pinang, Bangka Belitung 33684
	LAMPUNG 1	Jl. Purnawirawan Gg. Swadaya VI No. 36C, Bandar Lampung
	LAMPUNG 3	Jl. Laks. Martadinata No. 42 Kel. Pesawahan, Teluk Betung, Bandar Lampung 35223
JAWA	DEPOK	Jl. Perkapuran Raya RT.05/RW.02 Kel. Sukatani, Kec. Tapos, Depok Jawa Barat 16954
	BOGOR	RT.03/RW.02 Jl. Raya Cijeruk, Kel. Cijeruk, Kec. Cijeruk, Bogor, Jawa Barat (depan SMAN 1 Cijeruk, Bogor)
	CIBITUNG, CIKARANG BEKASI	Jl. Sengon Raya RT.01/RW.02 Ds. Cijengkol, Kec. Setu, Kab. Bekasi
	BANDUNG	Jl. Rahmat Djajadinata No. 39 RT. 02/Rw 04 Kmp. Bojong Asih, Desa/Kec. Dayeuhkolot, Kab. Bandung 40258
	SUBANG	Jl. Raya Belendung, Belendung, Kec. Cibogo, Kab. Subang, Jawa Barat (Ruko Jasmine Residence)
	TASIKMALAYA	Jl. Raya Cimari Timur No. 06 RT.05/RW.02 Dusun Wetan, Cikoneng, Ciamis
	CIREBON	Jl. Bougenville II No. 178 GSI Tukmudal, Kec. Sumber, Kab. Cirebon, Jawa Barat 45611 (belakang Polres Sumber)
	PURWOKERTO	Ds. Banjarsari Kidul Rt.05/03 No. 1 Kec. Sokaraja, Kab. Banyumas, Jawa Tengah 53181
	SEMARANG	Perum Ivory Park Blok G No. 15 Batusari, Mranggen, Demak, Jawa Tengah 59567
	SURAKARTA	Jl. Kali Kepunton 2 No.33, RT.1/RW.15, Jagalan, Kec. Jebres, Kota Surakarta, Jawa Tengah 57124, Indonesia
	SOLO - YOGYAKARTA	Ds. Sawo RT. 01/31 Sumberharjo, Prambanan, Sleman, Yogyakarta

SERVICE CENTRES

	NGANJUK	Jl. Sersan Harun No. 28 Kartoharjo Nganjuk 64416
	MALANG	Jl. Wonorejo Arjowinangun Permai C2 Kel. Arjowinangun, Kec. Kedungkandang, Kota Malang 65136
	SURABAYA 1	Jl. Kapas Madya 4D No. 5 RT.004/RW.002 Kel. Kapas Madya Baru, Kec. Tambaksari, Surabaya 60134
	SURABAYA 2	Perum Bumi Sedati Indah Blok E No. 1 Sedati, Sidoarjo
	BANYUWANGI	Jl. Kapten Sutaji Cg. 2 No. 30 Tukangkayu, Kec. Banyuwangi, Kab. Banyuwangi, Jawa Timur 68411
BALI, LOMBOK NTB, NTT	DENPASAR 1	Jl. Merdeka 1V No. 7 Renon, Denpasar, Bali
	DENPASAR 2	Jl. Tukad Balian, Perum. Wira Satya I No. 3B Denpasar selatan - Bali.
	DENPASAR 3	Jl. Poh Gading 88 Dawas, Tibubeneng, Kuta Utara Badung, Bali
	MATARAM	Cg. Abu Bakar, Terong Tawah, Kec. Labuapi, Kabupaten Lombok Barat, Nusa Tenggara Barat 83361
	SUMBAWA BESAR	G95W+X36, Jl. Raya Lingkar Utara, Karang Dima, Kec. Unter Iwes, Kab. Sumbawa, Nusa Tenggara Barat 84316
	KUPANG 2	Jl. Timor Raya KM 7 RT.009/RW.003 Kel. Oesapa Barat, Kec. Kelapa Lima, Kota Kupang, NTT 85228
	PONTIANAK 1	Jl. Pak Benceng No. 4 Pontianak
	PONTIANAK 2	Jl. Pembangunan Cg. Lestari Jalur 1 No. 20, Kel. Sungai Rengas, Kec. Sungai Kakap, Kab. Kubu Raya 78380

SERVICE CENTRES

	BANJARMASIN	Jl. Pemurus RT.08/RW.03 Kertak Hanyar 1, Banjarmasin, Kalimantan Selatan
	SAMARINDA	Jl. Padat Karya Rt.09 Sempaja Utara Kec. Samarinda Utara, Samarinda
	BALIKPAPAN	Jl. Berlian VII Blok I No.6 Perusda, Balikpapan
	BONTANG	Jl. S. Parman No. 01 KM. 6 Kel. Gunung Telihan Kec. Bontang Barat, Kota Bontang, Kalimantan Timur 75383
SULAWESI	MANADO	Perum Agape Blok B7/36 Jaga XVIII Desa Tumuluntung, Kec. Kauditan - Minahasa Utara
	PALU	Jl. Banawa Lorong Masjid Nurul Iman Kec. Banawa Kab. Donggala, Sulteng, 94351
	MAKASSAR	Jl. Muslim Daeng Tutu, Perumahan Daeng Tata Tri Residence Blok D2 No. 5, Kel. Parang Tambung Kec. Tamalate, Kota Makassar, Sulawesi Selatan 90224
	PARE - PARE	Jl. H.M. Arsyad No. 36, Watang Soreang, Kec. Soreang, Kota Parepare, Sulawesi Selatan 91132
	KENDARI 1	BTN PNS Blok IV No. 4 Kel. Watubangga, Kec. Baruga, Kota Kendari, Sulawesi Tenggara 93116
	KENDARI 2	Jl. Padat Karya , Desa/Kelurahan Watubangga, Kec. Baruga, Kota Kendari, Sulawesi Tenggara 93116
MALUKU	AMBON	Villa Batu Tagepe, Jl. AI - Manshuroh, RT 03/RW 019, Desa Batumerah, Kec. Sirimau, Kota Ambon
	PAPUA	BTN Yahim Gajah Mada Blok D124 Yahim, Sentani Kota, Jayapura, Papua 99359